

March 22, 2005

Stu Cravens  
Kelron Environmental  
1213 Dorchester  
Champaign, IL 61821  
TEL: (217) 390-1503  
FAX: (217) 355-1385



RE: CHMGP/62400674

OrderNo. 05030451

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 3/17/2005 9:05:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "ML Austin".

Michael L. Austin  
Director of Operations

---

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental  
Project: CHMGP/62400674  
LabOrder: 05030451  
Report Date: March 22, 2005

## REPORT CONTENTS

---

**This reporting package includes the following:**

Analysis Results ( this document ) . . . . .	13	pages
Chain of Custody . . . . .	1	pages
Associated Information . . . . .	1	pages
Sample Summary . . . . .	1	pages
Dates Report . . . . .	NA	pages
QC Report . . . . .	9	pages
Sub Contracted Lab Report . . . . .	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental  
Project: CHMGP/62400674  
LabOrder: 05030451  
Report Date: March 22, 2005

## CASE NARRATIVE

### Qualifiers

<b>DF</b> - Dilution Factor	<b>B</b> - Analyte detected in the associated Method Blank	<b>E</b> - Value above quantitation range
<b>RL</b> - Reporting Limit	<b>J</b> - Analyte detected below reporting limits	<b>H</b> - Holding time exceeded
<b>ND</b> - Not Detected at the Reporting Limit	<b>R</b> - RPD outside accepted recovery limits	<b>D</b> - Diluted out of sample
<b>Surr</b> - Surrogate Standard added by lab	<b>S</b> - Spike Recovery outside accepted recovery limits	<b>MI</b> - Matrix interference
<b>TNTC</b> - Too numerous to count	<b>*</b> - Value exceeds Maximum Contaminant Level	<b>DNI</b> - Did Not Ignite
<b>IDPH</b> - Illinois Department of Public Health	<b>NELAP</b> - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-001  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 112051  
**Collection Date:** 3/15/2005 8:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/19/2005 8:34:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/19/2005 8:34:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/19/2005 8:34:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/19/2005 8:34:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/19/2005 8:34:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		94.8	%REC	1	3/19/2005 8:34:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		96.8	%REC	1	3/19/2005 8:34:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		90.0	%REC	1	3/19/2005 8:34:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		105	%REC	1	3/19/2005 8:34:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-002  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 102051  
**Collection Date:** 3/15/2005 8:40:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/19/2005 9:05:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/19/2005 9:05:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/19/2005 9:05:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/19/2005 9:05:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/19/2005 9:05:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		95.4	%REC	1	3/19/2005 9:05:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		93.0	%REC	1	3/19/2005 9:05:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		91.2	%REC	1	3/19/2005 9:05:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		100	%REC	1	3/19/2005 9:05:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-003  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 111051  
**Collection Date:** 3/15/2005 9:25:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/19/2005 9:36:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/19/2005 9:36:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/19/2005 9:36:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/19/2005 9:36:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/19/2005 9:36:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		97.2	%REC	1	3/19/2005 9:36:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		92.2	%REC	1	3/19/2005 9:36:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		93.6	%REC	1	3/19/2005 9:36:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		102	%REC	1	3/19/2005 9:36:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-004  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 108051  
**Collection Date:** 3/15/2005 9:55:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/19/2005 10:07:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/19/2005 10:07:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/19/2005 10:07:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/19/2005 10:07:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/19/2005 10:07:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		95.6	%REC	1	3/19/2005 10:07:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		92.6	%REC	1	3/19/2005 10:07:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		92.6	%REC	1	3/19/2005 10:07:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		103	%REC	1	3/19/2005 10:07:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-005  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 116051  
**Collection Date:** 3/15/2005 10:32:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		ND	µg/L	1	3/20/2005 1:26:00 PM	GEK
Toluene	NELAP	5.0		ND	µg/L	1	3/20/2005 1:26:00 PM	GEK
Ethylbenzene	NELAP	5.0		ND	µg/L	1	3/20/2005 1:26:00 PM	GEK
Xylenes, Total	NELAP	5.0		ND	µg/L	1	3/20/2005 1:26:00 PM	GEK
Naphthalene	NELAP	10		ND	µg/L	1	3/20/2005 1:26:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		101	%REC	1	3/20/2005 1:26:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		93.6	%REC	1	3/20/2005 1:26:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		96.8	%REC	1	3/20/2005 1:26:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		101	%REC	1	3/20/2005 1:26:00 PM	GEK

### Sample Narrative



ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

<b>CLIENT:</b>	Kelron Environmental	<b>Client Project:</b>	CHMGP/62400674
<b>WorkOrder:</b>	05030451	<b>Client Sample ID</b>	107051
<b>Lab ID:</b>	05030451-006	<b>Collection Date:</b>	3/15/2005 11:00:00 AM
<b>Report Date:</b>	22-Mar-05	<b>Matrix:</b>	GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</b>								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	3/21/2005	TDN
Acenaphthylene	NELAP	0.00750		ND	mg/L	5	3/21/2005	TDN
Anthracene	NELAP	0.00030		ND	mg/L	1	3/21/2005	TDN
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	3/21/2005	TDN
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	3/21/2005	TDN
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	3/21/2005	TDN
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	3/21/2005	TDN
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	3/21/2005	TDN
Chrysene	NELAP	0.00045		ND	mg/L	1	3/21/2005	TDN
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	3/21/2005	TDN
Fluoranthene	NELAP	0.00090		ND	mg/L	1	3/21/2005	TDN
Fluorene	NELAP	0.00030		ND	mg/L	1	3/21/2005	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	3/21/2005	TDN
Naphthalene	NELAP	0.0150		0.0532	mg/L	5	3/21/2005	TDN
Phenanthrene	NELAP	0.00060		ND	mg/L	1	3/21/2005	TDN
Pyrene	NELAP	0.00030		ND	mg/L	1	3/21/2005	TDN
Surr: Terphenyl-d14		56.3-117		71.5	%REC	1	3/21/2005	TDN
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	20.0		589	µg/L	10	3/20/2005 12:55:00 PM	GEK
Toluene	NELAP	5.0	J	4.0	µg/L	1	3/19/2005 1:21:00 PM	GEK
Ethylbenzene	NELAP	5.0		36.0	µg/L	1	3/19/2005 1:21:00 PM	GEK
Xylenes, Total	NELAP	5.0		64.1	µg/L	1	3/19/2005 1:21:00 PM	GEK
Naphthalene	NELAP	10		162	µg/L	1	3/19/2005 1:21:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		101	%REC	1	3/19/2005 1:21:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		98.2	%REC	1	3/19/2005 1:21:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		93.8	%REC	1	3/19/2005 1:21:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		101	%REC	1	3/19/2005 1:21:00 PM	GEK

### Sample Narrative

SW-846 3510C, 8310, PolyNuclear Aromatic Hydrocarbons by HPLC

LCSD Fluoranthene recovery was lower than the QC limits. The recovery in the LCS was within QC limits.  
MSD Acenaphthylene did not recover due to matrix interference.  
MS Acenaphthylene did not recover due to matrix interference.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-007  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 114051  
**Collection Date:** 3/15/2005 11:45:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</u></b>								
Acenaphthene	NELAP	0.0300		0.115	mg/L	10	3/21/2005	TDN
Acenaphthylene	NELAP	0.0150		ND	mg/L	10	3/21/2005	TDN
Anthracene	NELAP	0.00030		ND	mg/L	1	3/18/2005	TDN
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	3/18/2005	TDN
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	3/18/2005	TDN
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	3/18/2005	TDN
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	3/18/2005	TDN
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	3/18/2005	TDN
Chrysene	NELAP	0.00045		ND	mg/L	1	3/18/2005	TDN
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	3/18/2005	TDN
Fluoranthene	NELAP	0.00090		ND	mg/L	1	3/18/2005	TDN
Fluorene	NELAP	0.00300		0.0628	mg/L	10	3/21/2005	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	3/18/2005	TDN
Naphthalene	NELAP	1.50		5.58	mg/L	500	3/21/2005	TDN
Phenanthrene	NELAP	0.00060		0.0116	mg/L	1	3/18/2005	TDN
Pyrene	NELAP	0.00030		0.00040	mg/L	1	3/18/2005	TDN
Surr: Terphenyl-d14		56.3-117		91.9	%REC	1	3/18/2005	TDN
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	50.0		736	µg/L	25	3/19/2005 5:28:00 PM	GEK
Toluene	NELAP	125		164	µg/L	25	3/19/2005 5:28:00 PM	GEK
Ethylbenzene	NELAP	125		1250	µg/L	25	3/19/2005 5:28:00 PM	GEK
Xylenes, Total	NELAP	125		899	µg/L	25	3/19/2005 5:28:00 PM	GEK
Naphthalene	NELAP	1000		8780	µg/L	100	3/20/2005 11:53:00 AM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		101	%REC	25	3/19/2005 5:28:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		98.4	%REC	25	3/19/2005 5:28:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		96.0	%REC	25	3/19/2005 5:28:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		105	%REC	25	3/19/2005 5:28:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-008  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 114951  
**Collection Date:** 3/15/2005 11:47:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</u></b>								
Acenaphthene	NELAP	0.0300		<b>0.101</b>	mg/L	10	3/21/2005	TDN
Acenaphthylene	NELAP	0.0150		<b>ND</b>	mg/L	10	3/21/2005	TDN
Anthracene	NELAP	0.00030		<b>ND</b>	mg/L	1	3/18/2005	TDN
Benzo(a)anthracene	NELAP	0.00009		<b>0.00020</b>	mg/L	1	3/18/2005	TDN
Benzo(a)pyrene	NELAP	0.00012		<b>0.00014</b>	mg/L	1	3/18/2005	TDN
Benzo(b)fluoranthene	NELAP	0.00015		<b>ND</b>	mg/L	1	3/18/2005	TDN
Benzo(g,h,i)perylene	NELAP	0.00030		<b>ND</b>	mg/L	1	3/18/2005	TDN
Benzo(k)fluoranthene	NELAP	0.00015		<b>ND</b>	mg/L	1	3/18/2005	TDN
Chrysene	NELAP	0.00045		<b>ND</b>	mg/L	1	3/18/2005	TDN
Dibenzo(a,h)anthracene	NELAP	0.00018		<b>ND</b>	mg/L	1	3/18/2005	TDN
Fluoranthene	NELAP	0.00090		<b>0.00094</b>	mg/L	1	3/18/2005	TDN
Fluorene	NELAP	0.00300		<b>0.0484</b>	mg/L	10	3/21/2005	TDN
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		<b>ND</b>	mg/L	1	3/18/2005	TDN
Naphthalene	NELAP	1.50		<b>4.55</b>	mg/L	500	3/21/2005	TDN
Phenanthrene	NELAP	0.00060		<b>0.0110</b>	mg/L	1	3/18/2005	TDN
Pyrene	NELAP	0.00030		<b>0.00066</b>	mg/L	1	3/18/2005	TDN
Surr: Terphenyl-d14		56.3-117		<b>98.6</b>	%REC	1	3/18/2005	TDN
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	50.0		<b>726</b>	µg/L	25	3/19/2005 5:59:00 PM	GEK
Toluene	NELAP	125		<b>163</b>	µg/L	25	3/19/2005 5:59:00 PM	GEK
Ethylbenzene	NELAP	125		<b>1240</b>	µg/L	25	3/19/2005 5:59:00 PM	GEK
Xylenes, Total	NELAP	125		<b>920</b>	µg/L	25	3/19/2005 5:59:00 PM	GEK
Naphthalene	NELAP	1000		<b>7570</b>	µg/L	100	3/20/2005 12:24:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		<b>97.6</b>	%REC	25	3/19/2005 5:59:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		<b>97.6</b>	%REC	25	3/19/2005 5:59:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		<b>89.6</b>	%REC	25	3/19/2005 5:59:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		<b>103</b>	%REC	25	3/19/2005 5:59:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-009  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** 115051  
**Collection Date:** 3/15/2005 12:48:00 PM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b><u>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</u></b>								
Benzene	NELAP	2.0		<b>5.2</b>	µg/L	1	3/20/2005 8:08:00 PM	GEK
Toluene	NELAP	5.0		<b>ND</b>	µg/L	1	3/20/2005 8:08:00 PM	GEK
Ethylbenzene	NELAP	5.0		<b>ND</b>	µg/L	1	3/20/2005 8:08:00 PM	GEK
Xylenes, Total	NELAP	5.0		<b>ND</b>	µg/L	1	3/20/2005 8:08:00 PM	GEK
Naphthalene	NELAP	10		<b>ND</b>	µg/L	1	3/20/2005 8:08:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135		<b>102</b>	%REC	1	3/20/2005 8:08:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3		<b>96.8</b>	%REC	1	3/20/2005 8:08:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2		<b>96.4</b>	%REC	1	3/20/2005 8:08:00 PM	GEK
Surr: Toluene-d8		84.1-114.5		<b>106</b>	%REC	1	3/20/2005 8:08:00 PM	GEK

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 05030451  
**Lab ID:** 05030451-010  
**Report Date:** 22-Mar-05

**Client Project:** CHMGP/62400674  
**Client Sample ID** Trip Blank  
**Collection Date:** 2/23/2005 9:30:00 AM  
**Matrix:** TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0	H	ND	µg/L	1	3/19/2005 12:50:00 PM	GEK
Toluene	NELAP	5.0	H	ND	µg/L	1	3/19/2005 12:50:00 PM	GEK
Ethylbenzene	NELAP	5.0	H	ND	µg/L	1	3/19/2005 12:50:00 PM	GEK
Xylenes, Total	NELAP	5.0	H	ND	µg/L	1	3/19/2005 12:50:00 PM	GEK
Naphthalene	NELAP	10	H	ND	µg/L	1	3/19/2005 12:50:00 PM	GEK
Surr: 1,2-Dichloroethane-d4		84.3-135	H	98.2	%REC	1	3/19/2005 12:50:00 PM	GEK
Surr: 4-Bromofluorobenzene		81.1-113.3	H	93.0	%REC	1	3/19/2005 12:50:00 PM	GEK
Surr: Dibromofluoromethane		88.9-121.2	H	90.8	%REC	1	3/19/2005 12:50:00 PM	GEK
Surr: Toluene-d8		84.1-114.5	H	103	%REC	1	3/19/2005 12:50:00 PM	GEK

### Sample Narrative

SW-846 5030 Voa Prep Aqueous  
PREP The prep HoldTime was exceeded by 10.1 days.