

September 27, 2006

Stu Cravens  
Kelron Environmental  
1213 Dorchester  
Champaign, IL 61821  
TEL: (217) 390-1503  
FAX: (217) 355-1385



RE: CHMGP/162363

OrderNo. 06090621

Dear Stu Cravens:

TEKLAB, INC received 10 samples on 9/21/2006 8:25:00 AM for the analysis presented in the following report. A list of report contents can be found on the following page.

Samples are analyzed on an as received basis unless otherwise requested and documented. The sample results contained in this report relate only to the requested analytes of interest that have been tested. IL ELAP and NELAP accredited fields of testing are indicated by the letters NELAP under the Certification column.

All quality control criteria applicable to the test methods employed for this project have been satisfactorily met and are in accordance with NELAP except where noted in the Case Narrative. The following report shall not be reproduced, except in full, without the written approval of Teklab, Inc.

If you have any questions regarding these tests results, please feel free to call.

Sincerely,

A handwritten signature in black ink, appearing to read "Michael L. Austin".

Michael L. Austin  
Director of Operations  
618-344-1004 ex.16

Client: Kelron Environmental  
Project: CHMGP/162363  
LabOrder: 06090621  
Report Date: September 27, 2006

## REPORT CONTENTS

---

**This reporting package includes the following:**

Analysis Results ( this document ) . . . . .	13	pages
Chain of Custody . . . . .	1	pages
Associated Information . . . . .	1	pages
Sample Summary . . . . .	1	pages
Dates Report . . . . .	1	pages
QC Report . . . . .	6	pages
Sub Contracted Lab Report . . . . .	NA	pages
MDL Report . . . . .	NA	pages

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

Client: Kelron Environmental  
Project: CHMGP/162363  
LabOrder: 06090621  
Report Date: September 27, 2006

## CASE NARRATIVE

Cooler Receipt Temp 0.8 °C

### Qualifiers

<b>DF</b> - Dilution Factor	<b>B</b> - Analyte detected in the associated Method Blank	<b>E</b> - Value above quantitation range
<b>RL</b> - Reporting Limit	<b>J</b> - Analyte detected below reporting limits	<b>H</b> - Holding time exceeded
<b>ND</b> - Not Detected at the Reporting Limit	<b>R</b> - RPD outside accepted recovery limits	<b>D</b> - Diluted out of sample
<b>Surr</b> - Surrogate Standard added by lab	<b>S</b> - Spike Recovery outside accepted recovery limits	<b>MI</b> - Matrix interference
<b>TNTC</b> - Too numerous to count	<b>X</b> - Value exceeds Maximum Contaminant Level	<b>DNI</b> - Did Not Ignite
<b>IDPH</b> - Illinois Department of Public Health	<b>NELAP</b> - IL ELAP and NELAP Accredited Field of Testing	

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-001  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 112063  
**Collection Date:** 9/19/2006 8:23:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 5:56:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 5:56:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 5:56:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 5:56:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 5:56:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		91.7	%REC	1	9/21/2006 5:56:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		103.7	%REC	1	9/21/2006 5:56:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		99.5	%REC	1	9/21/2006 5:56:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.5	%REC	1	9/21/2006 5:56:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-002  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 112963  
**Collection Date:** 9/19/2006 8:25:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 6:27:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 6:27:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 6:27:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 6:27:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 6:27:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		93.9	%REC	1	9/21/2006 6:27:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		102.8	%REC	1	9/21/2006 6:27:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		102.3	%REC	1	9/21/2006 6:27:00 PM	TAL
Surr: Toluene-d8		85.5-115		97.3	%REC	1	9/21/2006 6:27:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-003  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 102063  
**Collection Date:** 9/19/2006 9:18:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 6:57:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 6:57:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 6:57:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 6:57:00 PM	TAL
Xylenes, Total	NELAP	5.0	J	1.1	µg/L	1	9/21/2006 6:57:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		92.7	%REC	1	9/21/2006 6:57:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.0	%REC	1	9/21/2006 6:57:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		102.0	%REC	1	9/21/2006 6:57:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.3	%REC	1	9/21/2006 6:57:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-004  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 111063  
**Collection Date:** 9/19/2006 9:52:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 7:28:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 7:28:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 7:28:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 7:28:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 7:28:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		93.6	%REC	1	9/21/2006 7:28:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		104.2	%REC	1	9/21/2006 7:28:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		102.0	%REC	1	9/21/2006 7:28:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.2	%REC	1	9/21/2006 7:28:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-005  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 108063  
**Collection Date:** 9/19/2006 10:18:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 7:59:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 7:59:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 7:59:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 7:59:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 7:59:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		92.0	%REC	1	9/21/2006 7:59:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.1	%REC	1	9/21/2006 7:59:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		101.1	%REC	1	9/21/2006 7:59:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.7	%REC	1	9/21/2006 7:59:00 PM	TAL

### Sample Narrative



ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-006  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 116063  
**Collection Date:** 9/19/2006 11:00:00 AM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 8:29:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 8:29:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 8:29:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 8:29:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 8:29:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		93.4	%REC	1	9/21/2006 8:29:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		110.8	%REC	1	9/21/2006 8:29:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		102.8	%REC	1	9/21/2006 8:29:00 PM	TAL
Surr: Toluene-d8		85.5-115		98.0	%REC	1	9/21/2006 8:29:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

<b>CLIENT:</b>	Kelron Environmental	<b>Client Project:</b>	CHMGP/162363
<b>WorkOrder:</b>	06090621	<b>Client Sample ID</b>	107063
<b>Lab ID:</b>	06090621-007	<b>Collection Date:</b>	9/19/2006 11:21:00 AM
<b>Report Date:</b>	27-Sep-06	<b>Matrix:</b>	GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</b>								
Acenaphthene	NELAP	0.00300		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Acenaphthylene	NELAP	0.00150		0.00538	mg/L	1	9/22/2006 2:42:39 PM	MAM
Anthracene	NELAP	0.00030		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Fluoranthene	NELAP	0.00090		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Fluorene	NELAP	0.00030		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Naphthalene	NELAP	0.0750	S	0.180	mg/L	25	9/25/2006 3:24:04 PM	MAM
Phenanthrene	NELAP	0.00060		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Pyrene	NELAP	0.00030		ND	mg/L	1	9/22/2006 2:42:39 PM	MAM
Surr: Terphenyl-d14		53.1-120		77.1	%REC	1	9/22/2006 2:42:39 PM	MAM
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	20.0		1280	µg/L	10	9/21/2006 9:30:00 PM	TAL
Ethylbenzene	NELAP	50.0		69.1	µg/L	10	9/21/2006 9:30:00 PM	TAL
Naphthalene	NELAP	100		243	µg/L	10	9/21/2006 9:30:00 PM	TAL
Toluene	NELAP	50.0	J	11	µg/L	10	9/21/2006 9:30:00 PM	TAL
Xylenes, Total	NELAP	50.0		81.2	µg/L	10	9/21/2006 9:30:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		91.3	%REC	10	9/21/2006 9:30:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		103.7	%REC	10	9/21/2006 9:30:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		101.9	%REC	10	9/21/2006 9:30:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.7	%REC	10	9/21/2006 9:30:00 PM	TAL

### Sample Narrative

SW-846 3510C, 8310, PolyNuclear Aromatic Hydrocarbons by HPLC

Matrix spike was diluted out.

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

Elevated reporting limit due to high levels of target and/or non-target analytes.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004

FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-008  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 114063  
**Collection Date:** 9/19/2006 1:15:00 PM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 3510C, 8310, POLYNUCLEAR AROMATIC HYDROCARBONS BY HPLC</b>								
Acenaphthene	NELAP	0.0300		0.111	mg/L	10	9/25/2006 4:33:55 PM	MAM
Acenaphthylene	NELAP	0.0150		ND	mg/L	10	9/25/2006 4:33:55 PM	MAM
Anthracene	NELAP	0.00030		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Benzo(a)anthracene	NELAP	0.00009		0.00020	mg/L	1	9/22/2006 3:35:02 PM	MAM
Benzo(a)pyrene	NELAP	0.00012		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Benzo(b)fluoranthene	NELAP	0.00015		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Benzo(g,h,i)perylene	NELAP	0.00030		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Benzo(k)fluoranthene	NELAP	0.00015		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Chrysene	NELAP	0.00045		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Dibenzo(a,h)anthracene	NELAP	0.00018		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Fluoranthene	NELAP	0.00090		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Fluorene	NELAP	0.00030		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Indeno(1,2,3-cd)pyrene	NELAP	0.00030		ND	mg/L	1	9/22/2006 3:35:02 PM	MAM
Naphthalene	NELAP	3.00		7.88	mg/L	1000	9/26/2006 10:35:49 AM	MAM
Phenanthrene	NELAP	0.00060		0.0111	mg/L	1	9/22/2006 3:35:02 PM	MAM
Pyrene	NELAP	0.00030		0.00055	mg/L	1	9/22/2006 3:35:02 PM	MAM
Surr: Terphenyl-d14		53.1-120		88.2	%REC	1	9/22/2006 3:35:02 PM	MAM
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	100		938	µg/L	50	9/21/2006 11:02:00 PM	TAL
Ethylbenzene	NELAP	250		1220	µg/L	50	9/21/2006 11:02:00 PM	TAL
Naphthalene	NELAP	500		6280	µg/L	50	9/21/2006 11:02:00 PM	TAL
Toluene	NELAP	250	J	150	µg/L	50	9/21/2006 11:02:00 PM	TAL
Xylenes, Total	NELAP	250		924	µg/L	50	9/21/2006 11:02:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		89.4	%REC	50	9/21/2006 11:02:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		105.4	%REC	50	9/21/2006 11:02:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		100.9	%REC	50	9/21/2006 11:02:00 PM	TAL
Surr: Toluene-d8		85.5-115		96.2	%REC	50	9/21/2006 11:02:00 PM	TAL

### Sample Narrative

SW-846 3510C, 8310, PolyNuclear Aromatic Hydrocarbons by HPLC

Elevated reporting limit due to high levels of target and/or non-target analytes.

SW-846 5030, 8260B, Volatile Organic Compounds by GC/MS

Elevated reporting limit due to high levels of target and/or non-target analytes.

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-009  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** 115063  
**Collection Date:** 9/19/2006 1:53:00 PM  
**Matrix:** GROUNDWATER

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		<b>7.0</b>	µg/L	1	9/21/2006 9:00:00 PM	TAL
Ethylbenzene	NELAP	5.0	J	<b>1.4</b>	µg/L	1	9/21/2006 9:00:00 PM	TAL
Naphthalene	NELAP	10		<b>ND</b>	µg/L	1	9/21/2006 9:00:00 PM	TAL
Toluene	NELAP	5.0		<b>ND</b>	µg/L	1	9/21/2006 9:00:00 PM	TAL
Xylenes, Total	NELAP	5.0	J	<b>1.2</b>	µg/L	1	9/21/2006 9:00:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		<b>94.4</b>	%REC	1	9/21/2006 9:00:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		<b>104.8</b>	%REC	1	9/21/2006 9:00:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		<b>100.9</b>	%REC	1	9/21/2006 9:00:00 PM	TAL
Surr: Toluene-d8		85.5-115		<b>97.4</b>	%REC	1	9/21/2006 9:00:00 PM	TAL

### Sample Narrative

ENVIRONMENTAL TESTING LABORATORY

TEL: 618-344-1004  
FAX: 618-344-1005

## Laboratory Results

**CLIENT:** Kelron Environmental  
**WorkOrder:** 06090621  
**Lab ID:** 06090621-010  
**Report Date:** 27-Sep-06

**Client Project:** CHMGP/162363  
**Client Sample ID** Trip Blank  
**Collection Date:** 9/19/2006 8:10:00 AM  
**Matrix:** TRIP BLANK

Analyses	Certification	RL	Qual	Result	Units	DF	Date Analyzed	Analyst
<b>SW-846 5030, 8260B, VOLATILE ORGANIC COMPOUNDS BY GC/MS</b>								
Benzene	NELAP	2.0		ND	µg/L	1	9/21/2006 5:26:00 PM	TAL
Ethylbenzene	NELAP	5.0		ND	µg/L	1	9/21/2006 5:26:00 PM	TAL
Naphthalene	NELAP	10		ND	µg/L	1	9/21/2006 5:26:00 PM	TAL
Toluene	NELAP	5.0		ND	µg/L	1	9/21/2006 5:26:00 PM	TAL
Xylenes, Total	NELAP	5.0		ND	µg/L	1	9/21/2006 5:26:00 PM	TAL
Surr: 1,2-Dichloroethane-d4		73.9-129		91.3	%REC	1	9/21/2006 5:26:00 PM	TAL
Surr: 4-Bromofluorobenzene		83-113		108.0	%REC	1	9/21/2006 5:26:00 PM	TAL
Surr: Dibromofluoromethane		83.8-118		101.2	%REC	1	9/21/2006 5:26:00 PM	TAL
Surr: Toluene-d8		85.5-115		94.4	%REC	1	9/21/2006 5:26:00 PM	TAL

### Sample Narrative